

Eaton EDSC2130 SA

Catalog Number: EDSC2130 SA

Eaton Crouse-Hinds series EDS snap switch control station, 20A, With switch, With two 3/4" hubs, Copper-free aluminum, 1, Single-gang, Three-pole, 1, 120-277V, Through Feed, 3-way, 3/4", 120-277 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EDS snap switch control station	EDSC2130 SA
UPC	782274510132
Product Length/Depth	Product Height
5.06 in	5.875 in
Product Width	Product Weight
3.5 in	3.7 lb

Certifications and compliances

Area classification
Hazardous/Classified Locations
Standards type
NEC/CEC
NEC hazardous rating
Class I, Division 1
Class I, Division 2
Class II, Division 1
Class II, Division 2
Class III
NEMA Rating
3
7
9

Product specifications

Enclosure type
With switch
Trade size
3/4"
Number Of Poles
Three-pole
Switch function
3-way
Number of gangs
Single-gang
Style
Through feed
Voltage rating
120-277 Vac
Amperage Rating
20A
Hub style
With two 3/4" hubs
Number of devices
1
Number of pushbuttons
1
Primary voltage range
120-277V
Material
Copper-free aluminum

Resources

Catalogs
[EDS and EDSX Fully Assembled Snap Switches catalog page](#)

Certification reports
[EDS and EFD Explosionproof Snap Switches Canadian certification - snap switches](#)
[EDS and EFD Explosionproof Snap Switches UL certification - snap switches](#)

EDS and EFD Explosionproof Snap Switches Canadian certification -
industrial control panels and assemblies

EDS and EFD Explosionproof Snap Switches UL certification - industrial
control panels and assemblies

Installation instructions

IF 242 - EDS and EDSC Control Stations

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

Specifications and datasheets

Eaton Specification Sheet - EDSC2130 SA



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia