

Product data sheet

Specifications



NEMA Motor Starter and contactor, Type S, start/stop push button kit, NEMA 1

9999SA2

Product availability: Stock - Normally stocked in distribution facility

Main

Product Range	Type S
Component type	Push-button
Used with	contactor starter

Complementary

NEMA size	1 00 2 0 3
Marking	START-STOP
Mounting Mode	Panel-mounted
Rated breaking capacity	3 A 120 V AC inductive control circuit UL 508 1.5 A 240 V AC inductive control circuit UL 508 0.6 A 600 V AC inductive control circuit UL 508 5 A 600 V AC resistive control circuit UL 508
Height	1.02 in (25.8 mm)
Width	2.6 in (65.5 mm)
Depth	24.0 in (609.6 mm)
Net Weight	0.37 lb(US) (0.17 kg)

Environment

NEMA Degree of Protection	NEMA 1
Product Certifications	CSA UL Listed UL Recognized

Ordering and shipping details

Category	US10CP121761
Discount Schedule	0CP1
GTIN	785901867234
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	1.900 in (4.826 cm)
Package 1 Width	3.900 in (9.906 cm)
Package 1 Length	5.700 in (14.478 cm)
Package weight(Lbs)	6.080 oz (172.365 g)

Contractual warranty

Warranty	18 months
----------	-----------

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.



[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Under investigation
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.